

## Series 4410

4" Architectural Grade Window System Fixed - Single Hung



## **Product Overview**

The 4410 Series is a fixed and single hung window that will provide years of low maintenance performance. With 0.080" nominal wall thickness throughout the mainframe and sash and a 3/32" thick aluminum sill, the 4410 is up to the task that your project demands. The large window sash is no problem and will lift easily when using our class 5 balance system.

Green Commitment	Wind Protection	Noise Control	Blast Shield	Historic Replication
------------------	-----------------	---------------	--------------	----------------------

## **Features & Custom Options**


- Azon "Azo-Brader" thermally broken frame and sash, backed by a 10 year warranty against thermal break shrinkage
- Vertical and horizontal stacking members
- Integral lift handle on operable sash
- 4 sided fin seal weather-strip on the exterior
- Various glazing thicknesses available
- Dual glazing with optional integral blinds providing dynamic light control


- Accessory line of receptors, mullions, panning and trim for a customized look
- Blast, ballistic and impact glazing available
- Optional aluminum extruded screens
- Accompanying fixed frame options


Performance Data*						
Туре	Air (CFM/FT2 @ 6.24 PSF)	Water (PSF)	Structural (PSF)	CRF	U-Value (Btu/Hr-Ft²-°F)	STC
AW-PG65-Hung	Less than 0.10	10 (Higher levels may be available upon request)	+/- 97.5	52*	0.41*	Contact your local Rep


<sup>\*</sup>U-Value, CRF, Water and AW ratings are based on a particular type of glazing and window configuration being used. They are provided for comparison purposes only. They are based on products of standard configuration, tested in accordance with NFRC/FGIA/AAMA specifications, in a laboratory environment under optimum conditions. Performance values will vary according to project specifications, installation, size, configuration, hardware, glass, etc. Any required field testing should be done in accordance with the project specifications and FGIA/AAMA field testing protocol, not this data.


## Series 4410 Detail Drawings
















Winco Window Company 6200 Maple Avenue St. Louis, MO 63130

TESTING: Our products meet stringent testing requirements of both the American Architectural Manufacturers Association (AAMA) and the National Fenestration Rating Council (NFRC) standards and certification.